

Supplement: XLIV. Revision of *Niveria quadripunctata* (J.E. GRAY, 1827).

© Dirk Fehse, Berlin, 2021

These additional plates should help to show the intraspecific variability of the discussed species of the *quadripunctata*-species-complex. It follows my opinion: "A picture is worth a thousand words".



Fig. S1: *Niveria* cf. *quadripunctata* (J.E. GRAY, 1827). Juvenile. Length: 5.2 mm. Grand Cul-de-Sac Marin, 16° 22.0' N – 61° 38.0' W, Guadeloupe. (MNHN, No. IM-2012-4281-1).

Acknowledgements

I am very grateful to Dr. PHILIPPE BOUCHET, VIRGINIE HEROS and the MNHN that they put their extensive dredging material at my disposal. Many thanks also to anyone who supported the MNHN Mission KARUBENTHOS 2012 to Guadeloupe. A complete analysis of the material from Guadeloupe will follow sometimes later.

Supplement: XLIV. Revision of *Niveria quadripunctata* (J.E. GRAY, 1827).

© Dirk Fehse, Berlin, 2021




Plate S1

Niveria turgida n. sp. Photos: PHIL CRABB, © NHMUK.

Fig. 1: Paratype 4. Unknown locality. (NHMUK, No. 197630.2-15a).

Fig. 2: Paratype 3. Unknown locality. (NHMUK, No. 197630.2-15b).

Fig. 3: Paratype 5. Unknown locality. (NHMUK, No. 197630.2-15c).

Supplement: XLIV. Revision of *Niveria quadripunctata* (J.E. GRAY, 1827).

© Dirk Fehse, Berlin, 2021




Plate S2

Fig. 1: *Niveria turgida* n. sp. Paratype 2. Length: 6.3 mm. Off Montego Bay, 18° 28' N – 77° 55' W, NW Jamaica. (DFB, No. 12622-2).

Fig. 2: *Niveria maculosa* n. sp. Paratype 3. Length: 5.8 mm. Off Negril, NW Jamaica. (DFB, No. 12923).

Fig. 3: *Niveria maculosa* n. sp. Paratype 1. Length: 6.5 mm. Negril, Jamaica. (DFB, No. 12927).

Fig. 4: *Niveria maculosa* n. sp. Paratype 5. Length: 7.1 mm. Off Jacks Tarr Hotel, West End, Bahama Islands. (DFB, No. 12774-2).

Supplement: XLIV. Revision of *Niveria quadripunctata* (J.E. GRAY, 1827).

© Dirk Fehse, Berlin, 2021




Plate S3

Fig. 1: *Niveria cf. hybrida* (F.A. SCHILDER, 1931). Length: 6.7 mm. Pickles reef, Florida, U.S.A. (DFB, No. 12932).

Fig. 2: *Niveria quadripunctata* (J.E. GRAY, 1827). Length: 8.1 mm. Pickles reef, Florida, U.S.A. (DFB, No. 5237- 1).

Fig. 3: *Niveria quadripunctata* (J.E. GRAY, 1827). Length: 7.2 mm. E Panama. (7533-1).

Fig. 4: *Niveria quadripunctata* (J.E. GRAY, 1827). Length: 5.9 mm. Bahamas. (8539-1).

Supplement: XLIV. Revision of *Niveria quadripunctata* (J.E. GRAY, 1827).

© Dirk Fehse, Berlin, 2021




Plate S4

Fig. 1: *Niveria aff. capsula*. Length: 6.7 mm. Isla Mujeres, Yucatan, E. Mexico. (DFB, No. 7388).

Fig. 2: *Niveria* sp. Length: 6.8 mm. E Panama. (DFB, No. 12933). Similar to SCHILDER (1931: pl. 3, fig. 1).

Fig. 3: *Niveria quadripunctata* (J.E. GRAY, 1827). Length: 7.0 mm. S Rocroy, 16° 02.4' N – 61° 45.7' W, Basse-Terre, Guadeloupe. (MNHN, No. IM-2012-4263-1).

Fig. 4: *Niveria quadripunctata* (J.E. GRAY, 1827). Length: 5.5 mm. Pointe à Lézard, 16° 08.4' N – 61° 46.9' W, Basse-Terre, Guadeloupe. (MNHN, No. IM-2012-4271-4).

Supplement: XLIV. Revision of *Niveria quadripunctata* (J.E. GRAY, 1827).

© Dirk Fehse, Berlin, 2021




Plate S5

Fig. 1: *Niveria turgida* n. sp. Paratype. Length: 6.9 mm. Nord Baie de Bouillante, 16° 08.5' N – 61° 47.3' W, Basse-Terre, Guadeloupe. (MNHN, No. IM-2012-4247-1).

Fig. 2: *Niveria quadripunctata* (J.E. GRAY, 1827). Length: 5.6 mm. Nord Baie de Bouillante, 16° 08.5' N – 61° 47.3' W, Basse-Terre, Guadeloupe. (MNHN, No. IM-2012-4247-3).

Fig. 3: *Niveria* cf. *maculosa*. Length: 6.5 mm. Nord Baie de Bouillante, 16° 08.5' N – 61° 47.3' W, Basse-Terre, Guadeloupe. (MNHN, No. IM-2012-4247-4).

Fig. 4: *Cypraea rotunda* KIENER, 1843. Length: '10.0 mm'. "Habite la mer des Antilles" (KIENER, 1843: 141). From KIENER (1843: pl. 53, fig. 2).